

Set Point Conditions					EHT (°C) and Change in EHT from Reference Conditions, Adjusted for Room Temperature, Delta EHTadj (°K)																	
Position	Troom	Tsupply	Vsupply	Test#	Total	Left		Right		Left		Right		Left		Right		Left		Right		Tref
						Head	Upper Arm	Upper Arm	Forearm	Forearm	Hand	Hand	Chest	Back	Pelvis	Thigh	Thigh	Lower Leg	Lower Leg	Foot	Foot	
	26	REF.	REF.	1	27.2	27.5	27.8	28.0	27.3	28.1	27.9	27.4	28.4	29.2	26.5	28.0	27.7	25.9	27.0	26.6	27.0	26.1
Horizontal	26	21	70	2A	23.8	25.6	26.9	23.3	25.2	25.9	26.0	26.5	21.3	27.9	20.2	23.7	22.2	24.2	25.7	26.2	25.9	25.8
				delta EHTadj	-3.1	-1.6	-0.5	-4.4	-1.7	-1.8	-1.5	-0.5	-6.7	-0.9	-6.0	-4.0	-5.2	-1.4	-1.0	-0.1	-0.8	
Horizontal	26	21	70	2B	23.8	26.3	27.1	24.7	25.1	26.1	26.5	26.7	22.2	27.3	20.3	23.2	21.2	24.2	25.7	25.9	25.8	26.0
				delta EHTadj	-3.3	-1.1	-0.5	-3.3	-2.1	-1.9	-1.4	-0.6	-6.1	-1.8	-6.1	-4.7	-6.4	-1.6	-1.2	-0.7	-1.1	
Horizontal	26	23	70	3A	25.3	25.4	26.6	25.6	25.6	25.2	26.0	26.9	23.2	27.2	24.1	25.2	23.8	24.7	26.0	26.4	26.4	26.0
				delta EHTadj	-1.8	-2.0	-1.1	-2.3	-1.5	-2.8	-1.8	-0.4	-5.1	-1.9	-2.3	-2.7	-3.8	-1.1	-0.9	-0.2	-0.5	
Horizontal	26	23	70	3B	25.2	25.4	26.2	23.5	26.0	26.4	26.0	26.7	23.6	28.9	25.5	25.4	24.1	24.7	26.2	26.8	25.9	26.0
				delta EHTadj	-1.9	-2.0	-1.5	-4.4	-1.2	-1.6	-1.8	-0.6	-4.7	-0.2	-0.9	-2.5	-3.6	-1.1	-0.6	0.2	-1.0	
Horizontal	26	25	70	4A	25.5	26.6	27.7	25.5	26.0	27.0	26.6	27.1	24.5	28.1	23.5	25.8	24.6	25.7	26.6	27.0	26.9	26.1
				delta EHTadj	-1.6	-0.9	0.0	-2.5	-1.2	-1.0	-1.3	-0.2	-3.8	-1.0	-2.9	-2.1	-3.0	-0.2	-0.3	0.5	0.0	
Horizontal	26	25	70	4B	25.6	26.3	27.5	24.7	26.2	27.4	26.7	27.1	24.0	28.6	23.8	26.1	25.2	25.3	26.3	27.6	27.1	26.2
				delta EHTadj	-1.7	-1.3	-0.3	-3.3	-1.1	-0.7	-1.3	-0.4	-4.4	-0.6	-2.7	-2.0	-2.6	-0.7	-0.7	1.0	0.0	
Horizontal	26	25	50	5A	25.7	26.7	26.9	26.0	26.0	27.5	27.0	27.0	24.7	28.5	23.3	26.5	25.3	26.1	26.5	27.3	26.8	26.2
				delta EHTadj	-1.6	-0.9	-1.0	-2.1	-1.4	-0.7	-1.1	-0.5	-3.9	-0.8	-3.3	-1.6	-2.6	0.0	-0.6	0.5	-0.4	
Horizontal	26	25	50	5B	25.8	26.8	28.8	24.7	26.7	26.5	27.1	27.5	25.5	29.1	22.5	26.4	25.4	25.9	27.3	27.1	27.3	26.3
				delta EHTadj	-1.5	-0.9	0.9	-3.5	-0.7	-1.7	-1.0	0.0	-3.1	-0.2	-4.2	-1.8	-2.5	-0.2	0.2	0.3	0.1	
Horizontal	26	23	50	6A	24.9	26.5	26.2	24.9	25.1	27.5	27.0	26.9	24.7	27.3	20.7	25.3	24.3	25.7	26.4	27.3	26.5	26.1
				delta EHTadj	-2.3	-1.0	-1.5	-3.1	-2.1	-0.5	-0.9	-0.5	-3.6	-1.8	-5.8	-2.7	-3.4	-0.2	-0.5	0.7	-0.5	
Horizontal	26	23	50	6B	25.1	26.3	26.9	25.5	26.1	26.7	26.9	27.0	23.3	28.7	21.7	25.2	24.5	25.6	26.7	27.0	26.5	25.9
				delta EHTadj	-1.9	-1.0	-0.7	-2.3	-1.0	-1.1	-0.7	-0.1	-4.9	-0.3	-4.5	-2.6	-3.0	-0.1	-0.1	0.6	-0.3	
Horizontal	26	21	50	7A	24.6	26.1	26.2	23.8	26.2	26.5	26.7	26.8	23.7	28.4	21.4	24.7	23.1	24.8	26.0	26.5	26.4	26.0
				delta EHTadj	-2.5	-1.3	-1.4	-4.1	-1.0	-1.4	-1.1	-0.5	-4.6	-0.7	-5.0	-3.3	-4.5	-1.1	-0.9	0.0	-0.6	
Horizontal	26	21	50	7B	24.6	25.8	26.7	23.7	25.0	27.2	26.8	27.1	23.6	27.7	22.2	23.8	23.3	24.9	26.4	26.6	26.2	26.0
				delta EHTadj	-2.5	-1.6	-1.0	-4.3	-2.2	-0.8	-1.0	-0.2	-4.8	-1.4	-4.2	-4.1	-4.3	-0.9	-0.5	0.0	-0.7	
	26	REF.	REF.	8A	27.5	28.0	29.0	29.0	27.4	28.2	27.7	28.0	28.1	29.4	25.2	28.7	28.9	26.7	27.2	27.6	27.8	26.0
	26	REF.	REF.	8B	27.6	28.5	28.8	28.4	27.8	29.0	27.7	28.0	29.1	29.9	24.9	28.5	28.8	26.7	27.1	27.3	27.6	26.1
				average	27.6	28.2	28.9	28.7	27.6	28.6	27.7	28.0	28.6	29.6	25.1	28.6	28.8	26.7	27.2	27.5	27.7	26.1
Horizontal	26	21	30	9A	25.5	27.1	26.4	25.4	26.5	27.0	27.5	27.2	24.0	29.4	23.2	24.9	24.9	26.5	26.2	26.5	27.2	26.2
				delta EHTadj	-2.1	-1.2	-2.6	-3.4	-1.2	-1.7	-0.3	-0.9	-4.7	-0.4	-1.9	-3.7	-4.0	-0.3	-1.0	-1.0	-0.6	
Horizontal	26	21	30	9B	25.3	26.6	26.5	24.8	25.5	27.3	26.8	26.5	23.9	28.8	23.4	24.8	25.2	26.2	26.6	26.8	26.9	25.8
				delta EHTadj	-1.9	-1.3	-2.2	-3.6	-1.8	-1.0	-0.7	-1.2	-4.4	-0.6	-1.4	-3.5	-3.3	-0.3	-0.3	-0.4	-0.6	
Horizontal	26	23	30	10A	26.1	26.8	27.9	24.9	25.8	27.8	27.4	27.7	24.6	29.7	25.1	25.4	26.0	26.4	27.0	26.8	27.2	26.0
				delta EHTadj	-1.4	-1.4	-1.0	-3.7	-1.8	-0.7	-0.3	-0.3	-3.9	0.2	0.1	-3.1	-2.8	-0.3	-0.1	-0.5	-0.4	
Horizontal	26	23	30	10B	26.1	26.9	26.7	26.2	26.1	28.0	27.3	27.6	25.0	29.1	24.1	25.3	26.3	26.8	27.1	27.2	27.0	26.0
				delta EHTadj	-1.4	-1.2	-2.1	-2.4	-1.5	-0.4	-0.3	-0.3	-3.5	-0.4	-0.9	-3.2	-2.4	0.2	0.0	-0.2	-0.7	
Horizontal	26	25	30	11A	26.5	26.9	27.1	26.4	26.2	27.5	27.2	27.5	26.3	29.6	25.4	26.4	26.8	26.6	27.0	27.3	27.7	25.9
				delta EHTadj	-0.8	-1.1	-1.6	-2.1	-1.2	-0.9	-0.3	-0.3	-2.0	0.1	0.5	-2.0	-1.8	0.1	0.0	0.1	0.1	
Horizontal	26	25	30	11B	26.5	26.9	27.6	26.8	26.4	27.8	27.4	27.6	26.1	29.3	24.3	26.5	27.0	27.0	27.4	27.3	27.8	26.0
				delta EHTadj	-1.0	-1.3	-1.3	-1.8	-1.1	-0.6	-0.3	-0.4	-2.4	-0.2	-0.7	-2.1	-1.7	0.3	0.3	-0.1	0.1	
Horizontal	26	21	10	12A	26.5	28.2	27.2	26.4	26.2	27.7	27.4	27.5	28.9	29.2	23.0	25.9	27.4	26.8	27.0	27.1	27.3	26.0
				delta EHTadj	-1.0	0.1	-1.6	-2.2	-1.4	-0.8	-0.3	-0.4	0.3	-0.4	-2.1	-2.6	-1.3	0.1	-0.1	-0.3	-0.4	
Horizontal	26	21	10	12B	26.0	28.4	28.2	25.8	26.4	26.5	27.1	27.6	29.0	29.5	8.9	26.1	26.9	26.3	27.1	26.9	27.5	26.0
				delta EHTadj	-1.5	0.2	-0.6	-2.8	-1.1	-1.9	-0.5	-0.3	0.5	-0.1	-16.1	-2.4	-1.9	-0.3	0.0	-0.5	-0.1	
Horizontal	26	23	10	13A	27.0	28.1	27.8	27.3	26.8	28.0	27.6	27.8	28.4	30.0	24.2	27.3	27.7	27.1	27.2	27.3	27.6	26.1
				delta EHTadj	-0.5	-0.1	-1.1	-1.3	-0.8	-0.5	-0.1	-0.2	-0.2	0.4	-0.8	-1.3	-1.1	0.4	0.1	-0.2	-0.1	
Horizontal	26	23	10	13B	27.1	27.8	27.8	27.5	26.5	27.7	27.4	27.5	28.6	30.6	24.7	27.3	27.9	27.2	27.4	27.3	27.7	26.0
				delta EHTadj	-0.4	-0.3	-1.0	-1.1	-1.0	-0.8	-0.3	-0.4	0.1	1.0	-0.3	-1.2	-0.9	0.6	0.3	0.0	0.1	
Horizontal	26	25	10	14A	27.4	27.9	28.3	28.1	27.0	27.9	27.9	28.2	27.9	30.1	25.4	28.4	28.7	26.7	27.2	27.4	27.7	26.0
				delta EHTadj	-0.1	-0.3	-0.5	-0.5	-0.5	-0.5	0.2	0.3	-0.6	0.5	0.4	-0.1	-0.1	0.0	0.1	0.0	0.1	

Set Point Conditions					EHT (°C) and Change in EHT from Reference Conditions, Adjusted for Room Temperature, Delta EHTadj (°K)																	
Position	Troom	Tsupply	Vsupply	Test#	Total	Head	Left	Right	Left	Right	Left	Right	Chest	Back	Pelvis	Left	Right	Left	Right	Foot	Foot	Tref
							Upper Arm	Upper Arm	Forearm	Forearm	Hand	Hand				Thigh	Thigh	Lower Leg	Lower Leg			
	28	REF.	REF.	15A	28.7	30.2	30.0	30.0	29.4	30.4	29.7	30.0	31.8	30.9	12.0	30.0	30.6	28.4	28.9	28.7	28.6	28.1
	28	REF.	REF.	15B	29.0	29.8	29.7	29.9	29.4	29.7	29.8	29.7	31.7	31.0	24.8	29.9	30.7	28.4	29.1	28.2	28.6	28.0
	28	REF.	REF.	15	29.0	29.8	29.7	29.9	29.4	29.7	29.8	29.7	31.7	31.0	24.8	29.9	30.7	28.4	29.1	28.2	28.6	28.0
Horizontal	28	21	30	16A	26.7	29.4	27.9	26.9	27.2	28.3	29.1	28.8	26.1	29.5	24.3	24.8	26.3	27.7	27.8	27.1	27.4	28.0
				delta EHTadj	-2.3	-0.5	-1.7	-3.0	-2.2	-1.4	-0.8	-0.9	-5.5	-1.5	-0.5	-5.1	-4.4	-0.7	-1.3	-1.2	-1.2	
Horizontal	28	21	30	16B	26.5	28.7	27.8	26.8	27.6	28.3	29.0	29.0	25.3	29.7	22.7	25.0	26.3	27.5	27.6	27.5	27.5	28.0
				delta EHTadj	-2.6	-1.1	-1.9	-3.1	-1.8	-1.5	-0.9	-0.7	-6.3	-1.3	-2.1	-4.9	-4.4	-0.9	-1.6	-0.7	-1.2	
Horizontal	28	21	70	17A	25.0	26.8	27.7	24.1	27.1	27.7	28.1	29.0	22.8	29.0	21.0	24.2	23.1	26.1	26.4	27.4	26.8	28.0
				delta EHTadj	-4.0	-3.1	-2.0	-5.9	-2.3	-2.0	-1.7	-0.7	-8.8	-2.0	-3.8	-5.7	-7.6	-2.3	-2.8	-0.8	-1.8	
Horizontal	28	21	70	17B	24.8	25.9	27.7	24.3	26.8	27.8	28.0	28.5	22.8	28.3	20.9	23.8	22.8	26.1	26.7	27.1	26.7	28.0
				delta EHTadj	-4.2	-3.9	-2.0	-5.7	-2.6	-2.0	-1.8	-1.2	-8.9	-2.7	-3.9	-6.1	-7.9	-2.3	-2.4	-1.1	-1.9	
	26	REF.	REF.	18A	27.7	27.8	27.7	28.0	26.5	28.3	27.5	27.9	29.3	28.7	27.3	27.5	28.1	26.7	27.4	27.0	27.4	26.1
	26	REF.	REF.	18B	28.1	28.6	28.3	28.8	26.7	28.4	27.8	27.8	29.3	29.2	27.9	27.9	28.5	27.1	27.6	27.5	27.8	26.1
				average	27.9	28.2	28.0	28.4	26.6	28.4	27.7	27.9	29.3	29.0	27.6	27.7	28.3	26.9	27.5	27.3	27.6	26.1
Vertical	26	21	30	19A	27.3	28.5	28.2	27.0	26.7	28.2	27.3	27.9	29.3	27.7	26.4	25.8	28.7	26.7	25.8	26.9	25.5	26.1
				delta EHTadj	-0.6	0.3	0.2	-1.3	0.2	-0.1	-0.3	0.1	0.0	-1.3	-1.2	-1.9	0.4	-0.2	-1.7	-0.3	-2.0	
Vertical	26	21	30	19B	27.4	28.3	27.8	28.1	27.5	28.1	27.7	27.9	29.6	28.4	26.3	26.5	27.8	26.0	26.2	26.5	25.9	25.8
				delta EHTadj	-0.3	0.3	0.0	0.0	1.1	0.0	0.3	0.3	0.6	-0.3	-1.1	-0.9	-0.2	-0.7	-1.0	-0.5	-1.4	
Vertical	26	21	70	20A	27.5	28.4	27.6	28.6	27.5	28.8	27.4	27.8	28.9	27.4	26.1	27.1	29.3	25.7	26.7	26.6	25.7	26.1
				delta EHTadj	-0.4	0.2	-0.4	0.2	1.0	0.4	-0.2	0.0	-0.3	-1.6	-1.4	-0.6	1.0	-1.2	-0.8	-0.6	-1.8	
Vertical	26	21	70	20B	27.4	28.6	27.0	29.3	27.4	27.9	27.7	28.0	29.0	26.7	25.6	27.4	28.6	25.8	26.5	26.3	26.4	26.1
				delta EHTadj	-0.5	0.4	-1.0	0.9	0.8	-0.5	0.1	0.2	-0.3	-2.3	-2.0	-0.3	0.3	-1.1	-1.0	-0.9	-1.2	

Set Point Conditions					Heat Loss (W/Sq.M.)																	
	Position	Troom	Tsupply	Vsupply	Test#	Total	Head	Left Upper Arm	Right Upper Arm	Left Forearm	Right Forearm	Left Hand	Right Hand	Chest	Back	Pelvis	Left Thigh	Right Thigh	Left Lower Leg	Right Lower Leg	Left Foot	Right Foot
Average	Reference	26	REF.	REF.	1	25.2	26.8	23.1	19.4	29.6	26.3	45.2	45.1	13.3	12.1	28.7	21.5	22.6	36.9	31.5	36.8	32.8
	Horizontal	26	21	70	2A	40.0	36.2	26.9	37.8	40.2	37.7	61.9	51.8	33.4	15.9	56.4	40.4	46.3	46.1	38.5	39.1	39.4
	Horizontal	26	21	70	2B	39.9	32.5	25.9	32.5	40.8	36.8	58.3	50.7	31.0	17.8	56.0	42.2	50.6	45.9	38.6	41.1	39.7
Average	Horizontal	26	21	70	2	39.9	34.3	26.4	35.2	40.5	37.2	60.1	51.3	32.2	16.9	56.2	41.3	48.5	46.0	38.6	40.1	39.6
	Horizontal	26	23	70	3B	34.0	37.2	30.0	37.1	36.1	35.1	62.3	50.4	26.8	13.0	33.5	32.7	38.3	43.3	35.5	36.1	39.3
Average	Horizontal	26	23	70	3	34.0	37.2	30.0	37.1	36.1	35.1	62.3	50.4	26.8	13.0	33.5	32.7	38.3	43.3	35.5	36.1	39.3
	Horizontal	26	25	70	4A	32.5	31.4	23.5	29.3	36.2	32.0	57.3	47.3	24.2	15.4	41.8	31.0	35.9	38.3	33.7	34.4	33.5
	Horizontal	26	25	70	4B	32.1	32.7	24.1	32.3	35.1	29.9	56.1	47.6	25.7	13.8	40.3	29.8	33.5	40.1	35.2	31.0	32.7
Average	Horizontal	26	25	70	4	32.3	32.1	23.8	30.8	35.7	31.0	56.7	47.4	24.9	14.6	41.1	30.4	34.7	39.2	34.5	32.7	33.1
	Horizontal	26	25	50	5A	31.5	30.8	26.9	27.2	36.3	29.2	53.7	47.8	23.9	14.2	42.7	28.0	33.1	36.0	34.3	33.2	34.4
	Horizontal	26	25	50	5B	31.1	30.2	18.5	32.4	32.6	34.2	52.7	43.9	21.6	12.3	46.6	28.5	32.5	37.0	30.0	34.4	31.7
Average	Horizontal	26	25	50	5	31.3	30.5	22.7	29.8	34.5	31.7	53.2	45.8	22.7	13.3	44.7	28.3	32.8	36.5	32.1	33.8	33.0
	Horizontal	26	23	50	6A	35.1	31.8	29.8	31.6	40.5	29.2	53.6	49.1	23.7	17.8	54.3	33.2	37.3	38.1	34.6	32.8	35.9
	Horizontal	26	23	50	6B	34.3	32.7	27.0	29.3	35.8	33.7	53.9	48.2	27.9	13.6	49.5	33.8	36.4	38.5	33.2	34.6	35.9
Average	Horizontal	26	23	50	6	34.7	32.3	28.4	30.5	38.2	31.4	53.8	48.6	25.8	15.7	51.9	33.5	36.9	38.3	33.9	33.7	35.9
	Horizontal	26	21	50	7A	36.6	33.4	29.9	35.8	35.2	34.5	56.0	49.8	26.6	14.5	51.2	36.1	42.4	43.0	36.9	37.5	36.7
	Horizontal	26	21	50	7B	36.6	35.0	27.9	36.4	41.4	31.0	55.5	47.5	27.0	16.8	47.5	39.7	41.7	42.1	34.7	37.2	37.5
Average	Horizontal	26	21	50	7	36.6	34.2	28.9	36.1	38.3	32.8	55.7	48.7	26.8	15.6	49.4	37.9	42.0	42.6	35.8	37.3	37.1
		26	REF.	REF.	8A	23.7	24.2	17.6	15.9	29.2	25.9	47.1	39.9	14.2	11.5	34.3	18.6	18.0	32.7	30.5	31.2	28.6
		26	REF.	REF.	8B	23.5	22.1	18.5	18.0	26.6	21.8	47.1	40.4	11.5	10.0	35.6	19.5	18.2	33.0	30.8	33.0	29.8
Average	Reference	26	REF.	REF.	8	23.6	23.2	18.0	16.9	27.9	23.8	47.1	40.1	12.8	10.8	34.9	19.1	18.1	32.9	30.6	32.1	29.2
	Horizontal	26	21	30	9A	32.4	28.6	29.0	29.9	33.5	32.2	48.6	46.8	25.8	11.7	43.0	34.8	34.6	33.8	35.5	37.4	32.0
	Horizontal	26	21	30	9B	33.2	31.1	28.8	32.1	38.9	30.6	55.6	52.3	26.1	13.4	42.3	35.4	33.5	35.7	33.8	36.0	34.0
Average	Horizontal	26	21	30	9	32.8	29.9	28.9	31.0	36.2	31.4	52.1	49.5	26.0	12.5	42.7	35.1	34.1	34.7	34.7	36.7	33.0
	Horizontal	26	23	30	10A	29.9	30.3	22.7	31.4	37.3	27.9	50.1	42.7	24.1	10.4	34.7	32.7	30.1	34.6	31.3	35.6	32.0
	Horizontal	26	23	30	10B	30.1	29.5	27.8	26.6	35.8	26.4	50.8	43.1	22.8	12.3	39.3	33.2	28.6	32.2	31.2	33.5	33.3
Average	Horizontal	26	23	30	10	30.0	29.9	25.3	29.0	36.6	27.2	50.5	42.9	23.5	11.4	37.0	33.0	29.4	33.4	31.2	34.5	32.6
	Horizontal	26	25	30	11A	28.1	29.8	26.1	25.8	34.9	29.4	51.6	43.9	19.1	11.0	33.6	28.7	26.5	33.4	31.7	32.8	29.6
	Horizontal	26	25	30	11B	28.1	29.8	23.8	24.2	34.0	27.4	50.2	43.4	19.8	11.7	38.5	28.2	25.6	31.5	29.5	32.8	29.0
Average	Horizontal	26	25	30	11	28.1	29.8	25.0	25.0	34.5	28.4	50.9	43.7	19.4	11.4	36.0	28.5	26.1	32.4	30.6	32.8	29.3
	Horizontal	26	21	10	12A	28.3	23.3	25.5	25.9	35.2	28.4	50.0	44.1	12.1	12.2	44.5	30.6	23.8	32.5	31.3	33.9	31.6
Average	Horizontal	26	21	10	12	28.3	23.3	25.5	25.9	35.2	28.4	50.0	44.1	12.1	12.2	44.5	30.6	23.8	32.5	31.3	33.9	31.6
	Horizontal	26	23	10	13A	30.5	23.9	23.0	22.0	31.8	26.5	47.8	41.6	13.5	9.6	38.7	24.8	22.7	30.9	30.4	33.2	29.6
	Horizontal	26	23	10	13B	24.5	25.1	22.9	21.4	33.3	28.4	50.3	44.1	12.9	7.8	36.5	24.5	22.0	30.4	29.2	32.7	29.2
Average	Horizontal	26	23	10	13	27.5	24.5	23.0	21.7	32.6	27.5	49.1	42.8	13.2	8.7	37.6	24.7	22.3	30.6	29.8	32.9	29.4
	Horizontal	26	25	10	14A	24.1	25.0	20.5	19.3	30.7	27.0	45.6	38.2	14.8	9.5	33.2	19.7	18.7	33.0	30.6	32.3	29.2
Average	Horizontal	26	25	10	14	24.1	25.0	20.5	19.3	30.7	27.0	45.6	38.2	14.8	9.5	33.2	19.7	18.7	33.0	30.6	32.3	29.2
	Horizontal	28	REF.	REF.	15B	17.4	15.7	15.0	12.3	18.7	17.6	28.1	26.3	4.3	6.6	36.5	13.5	10.3	24.1	20.5	27.6	24.2
Average	Horizontal	28	REF.	REF.	15	17.4	15.7	15.0	12.3	18.7	17.6	28.1	26.3	4.3	6.6	36.5	13.5	10.3	24.1	20.5	27.6	24.2
	Horizontal	28	21	30	16A	27.1	17.9	22.2	23.6	30.0	25.1	35.1	33.4	19.7	11.2	38.3	35.3	28.9	27.8	27.5	34.3	30.8
	Horizontal	28	21	30	16B	28.3	20.9	23.1	24.1	28.1	25.3	36.0	31.8	21.9	10.6	45.2	34.6	28.8	28.8	28.6	31.6	30.7
Average	Horizontal	28	21	30	16	27.7	19.4	22.6	23.8	29.1	25.2	35.6	32.6	20.8	10.9	41.7	34.9	28.9	28.3	28.0	33.0	30.8
	Horizontal	28	21	70	17A	34.5	30.4	23.4	34.8	30.4	28.0	43.2	32.3	29.1	12.6	52.7	38.0	42.4	36.0	35.0	32.1	34.1
	Horizontal	28	21	70	17B	35.5	34.4	23.5	34.1	31.8	28.0	44.7	35.7	29.3	14.8	53.2	39.7	43.8	36.3	33.1	34.0	34.8
Average	Horizontal	28	21	70	17	35.0	32.4	23.5	34.5	31.1	28.0	43.9	34.0	29.2	13.7	52.9	38.8	43.1	36.2	34.1	33.0	34.4

Set Point Conditions					Heat Loss (W/Sq.M.)																
Position	Troom	Tsupply	Vsupply	Test#	Total	Head	Left Upper Arm	Right Upper Arm	Left Forearm	Right Forearm	Left Hand	Right Hand	Chest	Back	Pelvis	Left Thigh	Right Thigh	Left Lower Leg	Right Lower Leg	Left Foot	Right Foot
	26	REF.	REF.	18A	22.9	25.3	23.2	19.6	33.6	24.8	49.0	40.9	10.9	13.5	14.3	23.7	21.1	33.0	29.6	34.3	31.1
	26	REF.	REF.	18B	21.2	21.5	20.7	16.6	32.4	24.4	46.2	41.3	11.0	12.0	12.9	21.9	19.4	30.6	28.2	32.0	29.0
Average Reference	26	REF.	REF.	18	22.0	23.4	22.0	18.1	33.0	24.6	47.6	41.1	11.0	12.8	13.6	22.8	20.3	31.8	28.9	33.2	30.0
Vertical	26	21	30	19A	24.7	22.0	21.3	23.2	32.2	25.5	50.3	40.7	11.0	16.6	16.6	31.3	18.7	32.9	37.9	35.3	41.2
Vertical	26	21	30	19B	24.3	23.0	23.1	19.0	28.5	26.0	47.1	41.0	10.0	14.5	17.0	27.9	22.2	36.7	35.8	37.5	39.5
Average Vertical	26	21	30	19	24.5	22.5	22.2	21.1	30.4	25.8	48.7	40.9	10.5	15.6	16.8	29.6	20.4	34.8	36.9	36.4	40.3
Vertical	26	21	70	20A	23.7	22.7	23.9	17.4	28.1	22.7	49.7	41.2	11.8	17.7	17.3	25.5	16.0	38.4	33.3	36.8	40.3
Vertical	26	21	70	20B	24.1	21.4	26.3	14.6	28.6	27.1	47.0	39.6	11.7	19.7	18.5	24.3	18.7	37.5	33.9	38.5	36.5
Average Vertical	26	21	70	20	23.9	22.1	25.1	16.0	28.4	24.9	48.3	40.4	11.8	18.7	17.9	24.9	17.4	37.9	33.6	37.6	38.4